



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



National Highway Traffic Safety

PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90

Administration

CASE NO. 613-4

TYPE OF ACCIDENT CAR RECESTION (CYOSSING KOAS, STrAIGHT

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include</u>

any personal identifiers.) Vehicle # I WAS MAICING A U-TURN IN A PRIVATE PAYICING LOT, From A . EASTERLY TO A WESTERLY direction. Pedes TriAN #1 WAS WALICING ACYOSS The PAYICING LOTIN A NOrTher Ly direction. The Front of Vehicle # I Bumped The Pedes TriAN From behind. Pedes TriAN # I was carring A Plactic Grocery Bag and Knock To Ground Upon Impact, Vehicle # I Stopped prior To Pedes TriAN FINAL REST POST. Pedes TriAN TO Pedes TriAN FINAL REST POST. Pedes TriAN WAS INDOCKED Approximately I meter.

			B. PED	ESTRIAN PR	OFILE		
Pedestrian			Treatment/	njury ZONE CENTER)			
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	75	MALE	Treated Released	Upper Extrainty	Skin Other	1	hoo g

Body Region

Head Face Throat Chest Abdomen/Pelvis Spine

Upper Extremity
Lower Extremity
External

Type of Anatomic Structure

Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other

Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury(6) Maximum (untreatable)
- (7) Injured, unknown severity

-		C. VE	HICLE PROFIL	트림, 강 어느리는 중 집 경우 전 시 등급하다
	Class		В	Most Severe Damage Based on Vehicle Inspection
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	Compact	1993 Nissan ALTIMA	Front	Scratches, Smudges ETC.

DO NOT SANITIZE THIS FORM

U.S. Department of Transportation


ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY National Highway Traffic Safety Administration PSU No. 9 Indicate Case Number - Stratum North



ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY





Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Case Number-Stratum 6 Р Primary Sampling Unit Number SCALED DIAGRAM PEDESTRIAN/ACCIDENTICOM/ISION/ESTAICOMECTION de dina indice espantarárele encolar relaixe in plusa ed rela es north arrow placed on diagram Cosmicables of all seasons in the Cidby Codes & including these values grade measurements for all applicable roadways scaled representations of the physical plant includina: a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane b) (padasinan eenises viin kuleun (disebies markings, medians, pavement validate destriar politic tempact (ROI)

Case 12

Location of podestriars aparation point from
Vehicle markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs) scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either: final feeting points (ERF) for padestrian and valuables edestrianal ravel Direction physical evidence, or documentation of the physical plant including. reconstructed accident dynamics a) all road/roadway delineation (e.g., crosswalks, crim/edge liness lane marking medians, payement markings; parked vehicles, poless signs attaly. b) all traffic controls (e.g., lights, signs) Reference Line: 500Th Curb Line Reference Point: Distance and Direction Distance and Direction Item from Reference Point from Reference Line

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
		;
		·
·		

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

0 1

Administration		PEDESTRIAN CRASH DATA	SIU
	90	SPECIAL STUDIES - INDICATORS	
Primary Sampling Unit Number		Objects (() analy appoint attriby (SS15 SS10 bolow)	that
2. Case Number - Stratum	<u>613</u> P	Check (✓) each special study (SS15-SS19 below) has been completed; code 1 for the checked spestudies and 0 for the special studies not checked.	
IDENTIFICATIO	ON	Studios una chor the openial studios hat encourse	
Number of General Vehicle		6SS15 Administrative Use	0
Forms Submitted	0 1	7. <u>✓</u> SS16 Pedestrian Crash Data Study	_1
4. Date of Accident (Month, Day, Year)	9 4	8SS17 Impact Fires	0
5. Time of Accident	1154	9SS18	0
Code reported military time of	f accident.	10. SS19	0
NOTE: Midnight = 2400		103518	<u> </u>
Unknown = 9999		NUMBER OF EVENTS	

PEDESTRIAN STUDY CRITERIA

11. Number of Recorded Events

in This Accident

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. <u>0</u> 2	15. <u>F</u>	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	18. <u> 0 </u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM

National Highway Traffic Safety Administration

ministration	PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 90	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum 6 1 3 P	kilogram. (999) Unknown
3. Pedestrian Number <u>0 1</u>	133 pounds x .4536 = 60.3 kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown inches X 2.54 = 167. (a centimeters	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown Dinches X 2.54 = 51 centimeters	 (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown 36 inches X 2.54 = 0014 centimeters	(08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation
9. Pedestrian's Height - Ground to Shoulder 140 Code to the nearest centimeter. (999) Unknown 55 inches X 2.54 = 139.7 centimeters	Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify):
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify):	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, run over or dragged by vehicle (11) Knocked to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	0	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	96	(5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source:		Nonfatal
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	1	(3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>0</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS NO [] UPDATE CANDIDATE?	YES[]

O.M.B. No. 2127-0021
NATIONAL ACCIDENT SAMPLING SYSTEM

National Highway Traffic Safety Administration

PEDESTRIAN INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Form Approved

1. Primary Sampling Unit Number

90

3. Pedestrian Number

0 1

2. Case Number - Stratum

6/3P

4. Blank


INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury	-			
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	57	6. <u>8</u>	7. _9	8.04	9. <u>0 7</u>	10. /	11.2	12. 70 0	2 13	14. /	15. 2	16. <u>/</u>	17
2nd	18. 3	19. 6	20. 9	21.04	22. <u>6 2</u>	- 23. <u>/</u>	24.	25. <u>772</u>	26. 1	27	28. 7	29	30.2
3rd	31.2	32. 6	33. <u>4</u>	34. <u>0 Z</u>	35. <u>78</u>	36/	37. <u>6</u>	38. 9 9	7 _{зэ. /_}	40. 3	41	42	43. <u>O</u>
4th	44. 3	45. 7	46. 9	47. <u>0</u> 2	48.02	- 49. <u>/</u>	50. /	51. <u>947</u>	52. /	53	54	55. <u>O</u>	56.2
5th	57.	58	59.	60. 4	61. 07	-62. <u></u>	63	64. <u>9</u> 47	65. <u>/</u>	66	67	68	69.0
6th	70	71	72	73	74	75	76	77.	78	79	80	81.	82
7th	83	84	85.	86	87	88	89	90	91	92	93	94	95
Bth	96	97	98	99.	100	101	102	103	104	105	106	107	108
9th	109	110	111	112	113.	114	115	116	117	118	119	120	121
10th	122	123	124	125	126	127	128	129	130	131.	132.	133	134

Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1th												
2th		11 - 12 - 13 - 13 - 13 - 13 - 13 - 13 -				—						_
3th		. 241 										
4th												
5th												
6th			: : : : : : : : : : : : : : : : : : :									
7th												
8th												
9th												
Oth												
!1st												
2nd												_
3rd												
4th												

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Probable No damage/contact (1) Autopsy records with or without hospital/ Scratch (Scuff, Cloth Transfer, Smear) Possible medical records Unknown (3) Dent (2) Hospital/medical records other than Large deformation Cracked, fractured, shattered (4) emergency room (e.g., discharge DIRECT/INDIRECT INJURY (5) summary) Direct contact injury Indirect contact injury Separated from vehicle (3) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) (0) Injury not from vehicle contact UNOFFICIAL No residual damage Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters (5) Lay coroner report (6) E.M.S. personnel Rounded edge (7) Interviewee Sharp edge Other (specify): (5) (8) Other source (specify): Crush depth >5 to 10 centimeters Other specify:_ (9) Police Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Body Region** Specific Anatomic Structure (02) Cervical (04) Thoracic Minor injury Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Moderate injury (06) Lumbar (2) Face Serious injury Severe injury (3) (3)Neck (06) Skin - Laceration (08) Skin - Avulsion <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 (4)Thorax (5) Critical injury (5) Abdomen Amputation (6) Maximum (untreatable) (6) Spine Injured, unknown severity Upper Extremity (20) Burn Crush Level of Injury Lower Extremity Unspecified (30) (8) Degioving Aspect (40)(9) Specific injuries consecutive two (50) Injury - NFS assigned consecutive two-digit beginning with 02. Right Left (90) Trauma, other than mechanical (1)Type of Anatomic Structure numbers (3) Bilateral Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 (4) (5) Central Vesseis Anterior (3) Nerves Organs (includes muscles/ is assigned to an injury NFS as to Posterior (10) Concussion (4) ligaments) severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury (7) (8) Superior Inferior Skeletal (includes joints) Head - LOC Unknown (6) NFS as to lesion or severity. Whole region **INJURY SOURCE** Wheels / tires FRONT 790 Left front wheel / tire 700 Front bumper 744 B pillar 791 Right front wheel / tire 745 C pillar 701 Front lower valance/spoiler 792 Left rear wheel / tire 702 Front grille 746 D pillar 748 Other pillar (specify):_ 793 Right rear wheel /tire 703 Hood edge and/or trim 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 755 Right side glazing rearward of B pillar 802 Oil pan (specify): 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components (specify): 806 Catalytic converter 720 Front fender side surface 759 Unknown right side component 807 Muffler 721 Front antenna 722 A1 pillar 808 Floor pan Back Components 760 Rear (back) bumper 723 A2 pillar 809 Fuel tank 810 Rear suspension 724 B pillar 761 Tailgate 818 Other undercarriage component 725 C pillar 762 Hatchback, vertical surface (specify): 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): _ 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 773 Cowl area 826 Spare tire 736 Left side back fender or quarter panel 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 775 Windshield glazing 828 Other accessory (specify):__ 738 Other left side object 776 Front header (specify): Other Object or Vehicle in Environment 739 Unknown left side component 777 Roof surface 778 Backlight glazing 947 Ground 948 Other object (specify): 779 Rear header Right Side Components

780 Hatchback

781 Rear trunk lid

788 Other top component (specify): ___

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

Certain

TYPE OF DAMAGE

Injury not from vehicle contact

949 Unknown object in environment

997 Noncontact injury source

999 Unknown injury source

959 Unknown object on contacting vehicle

SOURCE OF INJURY DATA

740 Front fender side surface

741 Front antenna

742 A1 pillar


743 A2 pillar


OFFICIAL

OFFICIAL INJURY DATA — SKELETAL INJURIES Restrained? Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.) **Blood Alcohol Level** (mg/dl) BAL = ____ Glasgow Coma Scale Score GCSS = Units of Blood Given Units = ____ **Arterial Blood Gases** Ph = __.__ PO₂ = ____ PCO₂ HCO₃

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

A	OFFICIAL RECORDS
1. Primary Sampling Unit Number	2 2 4
2. Case Number - Stratum 6 1 3 P	9. Police Reported Travel Speed 9. 9
3. Vehicle Number 0 1 VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
VEHICLE IDENTIFICATION	
4. Vehicle Model Year Code the last two digits of the model year	$ \underbrace{\mathcal{O} \mathcal{O}}_{\text{mph } X \text{ 1.6093}} = \underbrace{\mathcal{O} \mathcal{O}}_{\text{kmph}} \text{ kmph} $ 10. Speed Limit
5. Vehicle Make (specify): Applicable codes are found in your	(000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown D Dmph X 1.6093 = DDD kmph
NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present
6. Vehicle Model (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page. 1 N 4 B U 3 1 F 9 PC	(9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros Unknown—Code all nines	Source:
	(9) Unknown 14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blázer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown lbs X .4536 = kgs	(0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown (9) Unknown

	· · · · · · · · · · · · · · · · · · ·
23. Critical Precrash Event This Vehicle Loss of Control Due To:	(83) Pedalcyclist or other nonmotorist in roadway
	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
·	1
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	1
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
(OZ) FEUESTHAIT—UHKHOWH IOCATION	(9) Directional consequences unknown

į.	ENVIRO	NME	TAL DATA	
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	4	3. Roadway Surfact (1) Dry (2) Wet (3) Snow and st (4) Ice (5) Sand, dirt of (8) Other (spection)	slush r oil
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier	1	crossing)	ontrol(s) traffic control signal (not RR shool Zone Sign (Not RR Crossing) e sign
29.	 (4) One way trafficway (9) Unknown Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 	2		Pevice Functioning ontrol
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		6. Light Conditions (1) Daylight (2) Dark (3) Dark, but lift (4) Dawn (5) Dusk	
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown7. Atmospheric Co	nditions atmospheric related driving
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	2	(5) Fog(6) Rain and fo(7) Sleet and fo(8) Other (e.g.,	



90-6/3 25 Yom 93 Altima 35-401= f=0,65 POIL FRP = 1.5m = 4,92 ft PRT=1,55-c $5 = Vt + \frac{V^2}{2+9}$ 4.9=1.5V+ (2)(0.65)(32,2) 0,0239 V2+1,5~V-4,9=0 -1,5- ± 7(1,5-)2-(4)(0,039)(-4,9) 0,047 V= 3,1 fps = 2 mph = 3,4 KPh 4 KPh

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

Model Year

cm

Vehicle Make (specify): Mr55 A

Vehicle Model (specify): ALTIMA

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

cm

PEV09 Hood Width-Forward Opening

cm

PEV10 Hood Width-Midway

cm

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

cm

PEV19 Front Bumper Lead

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

cm

PEV21 Ground to Front/Top Transition Point

cm

PEV22 Ground to Rear Hood Opening

cm

PEV23 Ground to Base of Windshield

cm

cm

PEV24 Ground to Top of Windshield PEV25 Ground to Head Contact

cm

National Accident Sampling System-Crashworthiness Data System: Pedestrian Exterior Vehicle Form Page 2 **VEHICLE DAMAGE SKETCH** Beekent Sontent

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEDESTRIAN SIDE C	ONTACT WORK SHEET
25,100 11 114 111	STee!
PEV06 Hood Material	
PEV08 Hood Length	$\frac{1}{\sqrt{3}}\frac{4}{\sqrt{5}}$ cm/
PEV09 Hood Width-Forward Opening	$\frac{\sqrt{3}}{\sqrt{7}}$ cm
PEV10 Hood Width-Midway	$\frac{740}{4}$ cm
PEV11 Hood Width-Rear Opening	<u>/ 4 4</u> cm
VERTICAL M	EASUREMENTS
PEV26 Ground Clearance	<u>0</u> 23 cm
PEV27 Side Bumper-Bottom Height	045 cm
PEV28 Side Bumper-Top Height	257 cm
PEV27 Side Bumper-Bottom Height PEV28 Side Bumper-Top Height PEV29 Centerline of Wheel	<u>030</u> cm
PEV30 Top of Tire	060 cm
PEV31 Top of Wheel Well Opening	069 cm
PEV32 Bottom of A-Pillar at Windshield 51	<u>091</u> cm
PEV33 Top of A-Pillar at Windshield	/ <u>/ cm</u>
PEV34 Top of Side View Mirror	<u>/03</u> cm
LATERAL ME	EASUREMENTS
	074
PEV35 C _L to A-Pillar at Bottom of Wingshield	<u>074</u> cm
PEV36 C _L to A-Pillar at Top of Windshield	<u>054</u> cm
PEV37 C _L to Maximum Side View Mirror Protrusion	<u>096</u> cm
WRAP D	ISTANCES
PEV38 Ground to Side/Top Transition	<u>087</u> cm
PEV39 Ground to Aood Edge	<u>09</u>
PEV40 Ground to Centerline of Hood (ORIGIN)	<u>/ 6</u> 3 cm
PEV41 Ground to Head Contact	<u> </u>
	' .

ORIGINAL SPECIFICATIONS

Wheelbase	<u> </u>	inches x	2.54	=	262cm
Overall Length	1805	inches x	2.54	=	458 cm
Maximum Width	067.1	inches x	2.54	=	$\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ cm
Curb Weight $\@ifnextchar[{\@model{L}}{\@model{L}}$	3007	oounds x	. 4536	=	. <u>3 6 F</u> kg
Average Track	0575	inches x	2.54	=	<u>146</u> cm
Front Overhang	_ X/A	inches x	2.54	=	
Rear Overhang	N/A	inches x	2.54	=	
Undeformed End Width	0586				<u> </u>
Engine Size: cyl./displ.	2400	cc x	.001	=	24
	146	CID x	.0164	=	24

	INJURY SOURCE	
FRONT		Wheels / tires
700 Front bumper	744 B pillar	790 Left front wheel / tire
701 Front lower valance/spoiler	≠745 C pillar	791 Right front wheel / tire
702 Front grille	746 D pillar	792 Left rear wheel / tire
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
704 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
08 Turn signal/parking lights	753 Right side folding mirror	300 Front cross member
18 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
19 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
eft Side Components	758 Other right side object	805 Drive shaft
20 Front fender side surface	(specify):	806 Catalytic converter
21 Front antenna	759 Unknown right side component	807 Muffler
22 A1 pillar	•	808 Floor pan
23 A2 pillar	Back Components	809 Fuel tank
24 B pillar	760 Rear (back) bumper	810 Rear suspension
25 C pillar	761 Tailgate	318 Other undercarriage component
26 D pillar	762 Hatchback, vertical surface	(specify):
28 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	,
29 Left side roof rail	769 Unknown back component	Accessories
30 Left side door surface		820 Air scoop, deflector
31 Left side door handle	Top Components	821 Cellular or C8 radio antenna
32 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
33 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
34 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
35 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
36 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
37 Rear antenna	774 Wiper blade & mountings	827 Spotlight
38 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
39 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
33 STRIBWIT LOT SIGE COMPONENT	778 Backlight glazing	947 Ground
light Side Components	779 Rear header	948 Other object (specify):
40 Front fender side surface	780 Hatchback	949 Unknown object in environment
41 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
	788 Other top component (specify):	,
742 A1 pillar		



bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET

CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE ,
		chens	ed	4	From	+01	1 2 3 9	
		chens	Š	3	/1ce/	tal review	1 2 3 9	
			:				1 2 3 9	
-	700	0	+69	٥	L. L+3+	sm-dge	10 3 9	
	772	56	69	0	Beak	smadge	2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
						•	1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
1	700	100	+69	0	Leg (lest)		1 2 3 9
2	772	+56	+69	0	Beck	scusss	D 2 1 9
3					:		1 2 3 9
4							1 2 3 9
5							1 2 3 9
6							1 2 3 9
7							1 2 3 9
8							1 2 3 9
9							1 2 3 9
10:							1 2 3 9
11					·		1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21					·		1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening 144
0 / 0	11. Hood Width Rear Opening
4. Original Wheelbase Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more (999) Unknown
(999) Unknown	
	056.6 inches X 2.54 = 144 centimeters
5. Original Average Track Width 146	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
Code to the	(0) Not damaged
nearest centimeter (185) 185 centimeters or more	(1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
057.5 inches $\times 2.54 = 146$ centimeters	(4) Severe crush (>7 centimeters)(8) Damage present, unknown if damage is from
2	pedestrian impact (9) Unknown
6. Hood Material	(a) Olikilowii
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact (0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel (8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
7. Hard O to test	(4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian - unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
2 Head Langeh	Front Vertical Measurements
8. Hood Length Code to the	3
nearest centimeter	14. Front Bumper Cover Material (0) No front contact
(180) 180 centimeters or more (999) Unknown	(1) Plastic
	(2) Fiberglass
040 . 9 inches \times 2.54 = 103 $\%$ centimeter	(3) Rubber (4) Other (specify):
9. Hood Width Forward Opening / 3 5	(9) Unknown
Code to the	15. Front Bumper Reinforcement Material
nearest centimeter	(0) No front contact
(210) 210 centimeters or more (999) Unknown	(1) Steel
	(2) Aluminum (3) Stainless Steel
0.53.1 inches X 2.54 = 1.35 centimeters	(4) Other (specify):
10. Hood Width Midway 140	(9) Unknown
Code to the	16. Front Bumper-Bottom Height
nearest centimeter	Code to the
(210) 210 centimeters or more	I and the second
(999) Unknown	nearest centimeter
	(000) No front contact
(999) Unknown $055. \angle \text{ inches } \times 2.54 = \angle 40 \text{ centimeters}$	

17.	Front Bumper-Top Height 045	23. Ground to Base of Windshield 182
	Code to the nearest centimeter	Code to the nearest centimeter
	(000) No front contact	(000) No front contact
	(150) 150 centimeters or more	(400) 400 centimeters or more
	(999) Unknown	(999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
4.0	Forward Hood Opening 065	24. Ground to Top of Windshield 26 2
18.	Forward Hood Opening Code to the	24. Ground to Top of Windshield Code to the
	nearest centimeter	nearest centimeter
	(000) No front contact	(000) No front contact
	(200) 200 centimeters or more (999) Unknown	(500) 500 centimeters or more (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
		25. Ground To Head Contact 998
19.	Front Bumper Lead (00) No front contact	Code to the
	Code to the	(000) No front contact
	nearest centimeter	(400) 400 centimeters or more
	(30) 30 centimeters or more (99) Unknown	(998) No head contact (999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
	Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
•		Side Vertical Measurements
	\wedge \wedge \wedge	
20.	Ground to Forward Hood Opening D 6 8	26 Ground Clearance (2.00)
	Code to the nearest centimeter	26. Ground Clearance Code to the
	Code to the nearest centimeter (000) No front contact	Code to the nearest centimeter
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more	Code to the nearest centimeter (000) No side contact
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 = centimeters	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters Ground to Front/Top Transition Point D 7 2	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 = 0.23 centimeters
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 = centimeters	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 = 23 centimeters 27. Side Bumper-Bottom Height
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters Ground to Front/Top Transition Point D 7 2Code to the nearest centimeter (000) No front contact	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 23 centimeters 27. Side Bumper-Bottom Height Code to the
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters Ground to Front/Top Transition Point	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 23 centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters Ground to Front/Top Transition Point D 7 2Code to the nearest centimeter (000) No front contact	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 2 3 centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters Ground to Front/Top Transition Point	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 23 centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =centimeters Ground to Front/Top Transition Point D 7 2 Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 2 2 3 centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =centimeters Ground to Front/Top Transition Point	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 2 3 centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =centimeters Ground to Front/Top Transition Point D 7 2 Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeters Ground to Rear Hood Opening	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 2 2 3 centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =centimeters Ground to Front/Top Transition Point	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 2 3 centimeters 27. Side Bumper-Bottom HeightCode to thenearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =centimeters Ground to Front/Top Transition Point	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 2 3 centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 28. Side Bumper-Top HeightCode to the nearest centimeter
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 2 3 centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 28. Side Bumper-Top HeightCode to the nearest centimeter (000) No side contact
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 2 3 centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 28. Side Bumper-Top HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 2 3 centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 28. Side Bumper-Top HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 2 3 centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 28. Side Bumper-Top HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = 2 3 centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 28. Side Bumper-Top HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29. Centerline of Wheel	Side Lateral Measurements
Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown Office X 2.54 = 799 centimeters	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter (250) 250 centimeters or more (999) Unknown
30. Top of Tire Code to the nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown Cada inches x 2.54 = 54.4 centimeters	36. Centerline to A-Pillar at Top of Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more
31. Top of Wheel Well Opening Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	(999) Unknown 222 Cinches X 2.54 = 55. 6 centimeter 37. Centerline to Maximum Side View Mirror Protrusion Code to the nearest centimeter
32. Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = 20.9 centimeters	(000) No side contact (300) 300 centimeters or more (999) Unknown O37.7 inches X 2.54 = 95.7 centimeter Side Wrap Distance Measurements
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown Inches X 2.54 = 31, Scentimeters	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown Code to the nearest centimeter centimeters
34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown O40 5 inches X 2 54 = /02 8 centimeters	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown O36.2 inches x 2.54 = 91.9 centimeters

			
40	Ground to Centerline of Ho	ood 000	
40.	Code to the nearest centimeter		,
	(000) No side contact (700) 700 centimeters or	more	
	(999) Unknown		
	064. Linches X 2.54	entimeters	
41.	Ground to Head Contact Code to the	<u>000</u>	
	nearest centimeter (000) No side contact		
	(800) 800 centimeters or (998) No head contact	more	
	(999) Unknown		
	inches X 2.54	= centimeters	
	·		



90613P00000011**7 369.**0000000000011154010000 796,000,000,000 000000000000000 01 90613P00010012 969.0010000000000102F72000 9.00 000000007511685109214006011024001411060109670242009715 90613P00010021 1010000000005 9.00 00000000078904021270011211 90613P00010131 90613P00010231 9.00 00000000036904021877211322 90613P00010331 9.00 00000000036402781699713000 90613P00010431 9.00 00000000037902021194711000 90613P00010531 9.00 00000000037904021194711000 90613P01000041 9.00 000000009335047041N4BU31F9PC 41141180011141211210011

PSU90 CASE 613P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN
PEDESTRIAN STUDY



	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Υ
Pedestrian Assessment	0	Ō	Ö	Ý
Pedestrian Injury	0	O	O	Υ
Pedestrian General Vehicle	● 0	0	Ö	Ý
Pedestrian Exterior Vehic	le o	0	Ō	Y
Total Inter Errors		0	0	
Total Case Errors	O	o	0	